

Foton school bus BJ6113

Grand Information	Driver location	Left-hand drive	Fuel consumption (L/100Km)	≤22
	Exterior dimensions (mm)	10990x2500x3420	Luggage Compartment (m3)	5
	Wheelbase (mm)	5450	Seat Quantity/ seat Layout	58+1+1 SEATS / 2+3 SEAT LAYOUT
	Inner height(mm)	1960	Max. Gradability (%)	≥25
	Max gross weight(T)	15	Fuel consumption under limit condition (L/100Km)	≤20
	Kerb weight(T)	10.85	Approach/Departure angle(°)	9/9
	Inner noise (50Km/H at constant speed)	≤72 dB(A)	Min. ground clearance (mm)	200
	Braking distance(V=30Km/h at full load)(m)	≤10	Min. turning diameter (m)	≤23
			Max. gradeability(%)	≥25
Standard Specification				
Engine	Model/Brand/Origin of Manuf.	CUMMINS engine C300 20	Displacement(L)/Emission	8.3 L / EuroII
	Rated Power/speed (KW/HP)	221(300)/2200	rated torque/speed(N.m/rpm)	1125/1200-1400
	Engine position	Rear		
Chassis	Clutch	Imported sachs, Φ430 clutch		
	Transmission	QJ S6-100 speed manual gearbox ,6 speed and 1 reverse		
	Front and Rear Axle	Fangsheng brand, front 5T, rear 10T		
	Suspension	Leaf spring, anti roll bar at both front and rear		
	Tyre	Double Coin brand, 11R22.5 Tubeless Radial Tyre, with one spare tyre		
	Steering	Integral Power Steering		
	Brake	Running Brake:Air pressure dual-circuit, front & rear drum brake		
		Parking Brake:Energy storage spring brake		
	Clearance Adjuster	With		
	ABS	WABCO ABS		
	Retarder	Telca		
Fuel System	195L			
	Body Structure	Semi-monocoque, concave floor		
	Door	Front & Middle passenger door. Single layer and sealed		
		Front Windshield: Laminated glass		

Body	Window	Rear Windshield: Tempered glass	
		Side Window: Sticked type tempered side glass, sliding, with emergency hammers	
		Driver Window: Sliding window	
	Emergency Roof	1 emergency exits with ventilation on the roof	
	Driver Seat	High seat back,damping,adjustable,two points type	
	co-driver Seat	Foldable	
	Passenger Seat	58 seats, high backrest ,two points type seat belt , fabric material	
	Air-Conditioner	Songz brand A/C, 27500 Kcal,non-independent roof mounting	
	Rearview System	Exterior electric rearview mirror	
	Reverse gear buzzer	Reverse gear buzzer	
	Visual and Audio System	CD	
	Illumination System	Driver roof lamp,roof lamp,step lamp,reading lamp	
	Battery	2*165Ah -Maintenance free	
	Light and signal system	Inside lights, LED	
		Front integrated lights,Rear integrated lights	
	luggage facility	Exterior luggage cabin with manual up-turning cabin door	
	Curtains	Front manual dual visor,side foldable curtain,driver curtian	
	Floor	Anti-grinding floor leather	
	Painting	Domestic paint, body design(color) per client's demands	
	Fire Extinguisher	One 6kg Fire extinguisher for passenger cabin, and automatic fire extinguisher in engine compartment	
Others	Engine compartment temperature alarming detector,electrical clock, steel wheel cover,water groove guider,first aid box		



